

## Known Problems

### Table of Contents

<b>Known Problems</b>	<b>1</b>
[x] qdel: Server could not connect to MOM 476932.ce01.macc.unican.es	2
[] Abnormal ending of simulations due to 'Flerchinger' aproximation	5
[] Abnormal ending of simulations	5
[x] Not writting of wrf restart files	6
[] Crash of running simulations by openMPI problems	7
[x] Intel simulations crash with CAM	7
[x] SST missing values in coastal lines	17
[] p4_error: latest msg from perror: Invalid argument	17
[x] p4_error: OOPS: semop lock failed: -1	17
[] * glibc detected * malloc(): memory corruption:	18
[x] Missing required environment variable: MPIRUN_RANK	18
[] Different wrf.exe from different nodes	18
[] mpiexec: Error: poll_or_block_event: tm_poll: tm: no event	18
[x] mvapich 'call system()' failed	19
[x] mpiexec: Warning: read_ib_one: protocol version 8 not known, but might still work.	19
[x] ECMWF ERA40 escena missing data	19
[x] Large waiting in GRID-CSIC	19
[x] cshell error in wn010	20
[x] Stale NFS file handle	20
[x] metgrid.exe Segmentation fault	20
[] CAM NaN	20
[x] p4_error: semget failed for setnum: 12	21
[x] P4_GLOBMEMSIZE	22
[x] SKINTEMP not found	23
[x] WOULD GO OFF TOP: KF_ETA_PARA I,J,DPTHMX,DPMIN 81 78 NaN 5000.000	23
[x] Metgrid error: Error in ext_pkg_write_field in metgrid.log	23
[] forrtl: severe (174): SIGSEGV, segmentation fault occurred	23
[] wrf.exe: posixio.c:213: px_pgout: Assertion `*posp == ((off_t)(-1))    *posp == lseek(nciop->fd, 0, 1)' failed.	24
[] No error, wrf just stops (¿i?!)	24

[ ]: Unsolved [x]: Solved

### [x] qdel: Server could not connect to MOM 476932.ce01.macc.unican.es

Some times, PBS downs in the nodes. In order to recover it. We have to stop it an restart the service.

```
[root@ce01 ~]$ssh wn025 'service pbs_mom restart'
```

It can be done for all nodes:

```
[root@ce01 ~]# cexec 'service pbs_mom status'
***** macc *****
----- wn001-----
pbs_mom (pid 2575) is running...
----- wn002-----
pbs_mom (pid 3061) is running...
----- wn003-----
pbs_mom (pid 2908) is running...
----- wn004-----
ssh(1777) Warning: the RSA host key for 'wn004' differs from the key for the IP address '192.168.202.14'
Offending key for IP in /etc/ssh/ssh_known_hosts:8
Matching host key in /root/.ssh/known_hosts:117
ssh(1777) Permission denied, please try again.
ssh(1777) Permission denied, please try again.
ssh(1777) Permission denied (publickey,password).
----- wn005-----
pbs_mom dead but subsys locked
----- wn006-----
pbs_mom (pid 3002) is running...
----- wn007-----
pbs_mom (pid 29926) is running...
----- wn008-----
pbs_mom dead but subsys locked
----- wn009-----
ssh(1796) Permission denied, please try again.
ssh(1796) Permission denied, please try again.
ssh(1796) Permission denied (publickey,gssapi-keyex,gssapi-with-mic,password).
----- wn010-----
pbs_mom dead but subsys locked
----- wn011-----
pbs_mom dead but subsys locked
----- wn012-----
pbs_mom dead but subsys locked
----- wn013-----
pbs_mom (pid 6605 6604 6422) is running...
----- wn014-----
pbs_mom (pid 3137) is running...
----- wn015-----
pbs_mom dead but subsys locked
----- wn016-----
pbs_mom dead but subsys locked
----- wn017-----
pbs_mom dead but subsys locked
----- wn018-----
pbs_mom (pid 3284) is running...
----- wn019-----
pbs_mom dead but subsys locked
----- wn020-----
pbs_mom dead but subsys locked
----- wn021-----
pbs_mom dead but subsys locked
```

```

----- wn022-----
pbs_mom dead but subsys locked
----- wn023-----
pbs_mom dead but subsys locked
----- wn024-----
pbs_mom (pid 3157) is running...
----- wn025-----
pbs_mom (pid 18308) is running...
----- wn031-----
pbs_mom dead but subsys locked
----- wn032-----
pbs_mom dead but subsys locked
----- wn033-----
pbs_mom dead but subsys locked
----- wn034-----
pbs_mom dead but subsys locked
----- wn035-----
pbs_mom dead but subsys locked
----- wn036-----
pbs_mom dead but subsys locked
----- wn041-----
pbs_mom dead but subsys locked
----- wn042-----
pbs_mom dead but subsys locked
----- wn043-----
pbs_mom dead but subsys locked
----- wn044-----
pbs_mom dead but subsys locked
----- wn045-----
pbs_mom dead but subsys locked
----- wn046-----
pbs_mom dead but subsys locked

```

### Restarting

```

[root@ce01 ~]# cexec 'service pbs_mom restart'
***** macc *****
----- wn001-----
Shutting down TORQUE Mom: [ OK ]
Starting TORQUE Mom: [ OK ]
----- wn002-----
Shutting down TORQUE Mom: [ OK ]
Starting TORQUE Mom: [ OK ]
----- wn003-----
Shutting down TORQUE Mom: [ OK ]
Starting TORQUE Mom: [ OK ]
----- wn004-----
ssh(2514) Warning: the RSA host key for 'wn004' differs from the key for the IP address '192.168.202.14'
Offending key for IP in /etc/ssh/ssh_known_hosts:8
Matching host key in /root/.ssh/known_hosts:117
ssh(2514) Permission denied, please try again.
ssh(2514) Permission denied, please try again.
ssh(2514) Permission denied (publickey,password).
----- wn005-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn006-----
Shutting down TORQUE Mom: [ OK ]
Starting TORQUE Mom: [ OK ]
----- wn007-----
Shutting down TORQUE Mom: [ OK ]

```

```
Starting TORQUE Mom: [ OK ]
----- wn008-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn009-----
ssh(2524) Permission denied, please try again.
ssh(2524) Permission denied, please try again.
ssh(2524) Permission denied (publickey,gssapi-keyex,gssapi-with-mic,password).
----- wn010-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn011-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn012-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn013-----
Shutting down TORQUE Mom: [ OK ]
Starting TORQUE Mom: [ OK ]
----- wn014-----
Shutting down TORQUE Mom: [ OK ]
Starting TORQUE Mom: [ OK ]
----- wn015-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn016-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn017-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn018-----
Shutting down TORQUE Mom: [ OK ]
Starting TORQUE Mom: [ OK ]
----- wn019-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn020-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn021-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn022-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn023-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn024-----
Shutting down TORQUE Mom: [ OK ]
Starting TORQUE Mom: [ OK ]
----- wn025-----
Shutting down TORQUE Mom: [ OK ]
Starting TORQUE Mom: [ OK ]
----- wn031-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn032-----
Shutting down TORQUE Mom: [FAILED]
```

```

Starting TORQUE Mom: [ OK ]
----- wn033-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn034-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn035-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn036-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn041-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn042-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn043-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn044-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn045-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]
----- wn046-----
Shutting down TORQUE Mom: [FAILED]
Starting TORQUE Mom: [ OK ]

```

And then the nodes are:

```

[root@ce01 ~]# pbsnodes -l
wn002                offline
wn003                offline
wn004                down,offline
wn009                down,offline
wn001                offline

```

## [] Abnormal ending of simulations due to 'Flerchinger' approximation

A simulation ends with the following message:

```

(...)
d01 2000-09-13_00:00:00 Input data processed for wrflowinp_d<domain> for domain 1
Flerchinger USEd in NEW version. Iterations= 10
Flerchinger USEd in NEW version. Iterations= 10
Flerchinger USEd in NEW version. Iterations= 10

```

Related to the topic:

- [?WRF forum](#)
- `phys/module_sf_noahdrv.F` code

## [] Abnormal ending of simulations

While a simulation was running on 'rs1.error.0000' appears:

```
(...)
```

Timing for main: time 2001-03-03\_05:00:00 on domain 1: 2.94590 elapsed seconds.

wrf.exe: posixio.c:213: px\_pgout: Assertion `\*posp == ((off\_t)(-1)) || \*posp == lseek(nciop->fd, 0, 1)' failed.

Image	PC	Routine	Line	Source
libc.so.6	0000003AC6830265	Unknown	Unknown	Unknown
libc.so.6	0000003AC6831D10	Unknown	Unknown	Unknown
libc.so.6	0000003AC68296E6	Unknown	Unknown	Unknown
wrf.exe	00000000015E846A	Unknown	Unknown	Unknown
wrf.exe	00000000015BD80D	Unknown	Unknown	Unknown
wrf.exe	00000000015CC1FE	Unknown	Unknown	Unknown
wrf.exe	0000000001571B10	Unknown	Unknown	Unknown
wrf.exe	00000000015708BD	Unknown	Unknown	Unknown
wrf.exe	000000000155F149	Unknown	Unknown	Unknown
wrf.exe	000000000155B828	Unknown	Unknown	Unknown
wrf.exe	000000000BCA9ED	Unknown	Unknown	Unknown
wrf.exe	000000000BC71D9	Unknown	Unknown	Unknown
wrf.exe	000000000BC6C58	Unknown	Unknown	Unknown
wrf.exe	000000000BC6162	Unknown	Unknown	Unknown
wrf.exe	000000000BC5EFE	Unknown	Unknown	Unknown
wrf.exe	000000000DEF177	Unknown	Unknown	Unknown
wrf.exe	00000000007413C2	Unknown	Unknown	Unknown
wrf.exe	00000000006BE487	Unknown	Unknown	Unknown
wrf.exe	00000000006552B9	Unknown	Unknown	Unknown
wrf.exe	000000000067A5B4	Unknown	Unknown	Unknown
wrf.exe	0000000000678591	Unknown	Unknown	Unknown
wrf.exe	00000000004CA59F	Unknown	Unknown	Unknown
wrf.exe	000000000047B093	Unknown	Unknown	Unknown
wrf.exe	000000000047B047	Unknown	Unknown	Unknown
wrf.exe	000000000047AFDC	Unknown	Unknown	Unknown
libc.so.6	0000003AC681D994	Unknown	Unknown	Unknown
wrf.exe	000000000047AEE9	Unknown	Unknown	Unknown

Related links:

- [?discussion on matters of common interest to netCDF user \(\)](#)
- [?WRF forum 1](#)
- [?WRF forum 2](#)

## [x] Not writing of wrf restart files

Along the simulation on rsl.[error/out].[nnnn] appears

```
(...)
```

Timing for Writing restart for domain 1: 48.82700 elapsed seconds.

```
(...)
```

But restart was never written. Along the simulation, a wrfrst\_[...] file is written, but it has only 32 bytes and it is alive only the 48.82700 seconds, after that time it disappears. Looking to the execution flow (via strace):

```
(...)
```

```
open("wrfrst_d01_2000-06-01_11:30:00", O_RDWR|O_CREAT|O_TRUNC, 0666) = 13
fstat(13, {st_mode=S_IFREG|0664, st_size=0, ...}) = 0
fstat(13, {st_mode=S_IFREG|0664, st_size=0, ...}) = 0
lseek(13, 0, SEEK_CUR) = 0
lseek(13, 24, SEEK_SET) = 24
write(13, "\0\0\0\0\0\0\0", 8) = 8
lseek(13, 0, SEEK_SET) = 0
(...)
```

```
write(1, "Timing for Writing restart for d"... , 76) = 76
write(2, "Timing for Writing restart for d"... , 76) = 76
```



Simulations crash just at beginning of them:

```

taskid: 0 hostname: wn025.macc.unican.es
Quilting with 1 groups of 0 I/O tasks.
Namelist dfi_control not found in namelist.input. Using registry defaults for v
ariables in dfi_control
Namelist tc not found in namelist.input. Using registry defaults for variables
in tc
Namelist scm not found in namelist.input. Using registry defaults for variables
in scm
Namelist fire not found in namelist.input. Using registry defaults for variable
s in fire
  Ntasks in X          2, ntasks in Y          4
WRF V3.1.1 MODEL
  *** CLWRF code enabled
  *****
  Parent domain
  ids,ide,jds,jde      1          50          1          50
  ims,ime,jms,jme     -4          32         -4          20
  ips,ipe,jps,jpe      1          25          1          13
  *****
DYNAMICS OPTION: Eulerian Mass Coordinate
  alloc_space_field: domain          1,          26649120 bytes allocated
  med_initialdata_input: calling input_model_input
INPUT LandUse = "USGS"
forrtl: severe (174): SIGSEGV, segmentation fault occurred
Image                PC                Routine                Line                Source
wrf.exe              00000000013EF3E1  Unknown                Unknown            Unknown
wrf.exe              00000000013F05A7  Unknown                Unknown            Unknown
wrf.exe              00000000013F1CE8  Unknown                Unknown            Unknown
wrf.exe              00000000011BB44B  Unknown                Unknown            Unknown
wrf.exe              0000000000DE008E  Unknown                Unknown            Unknown
wrf.exe              0000000000DDAEAD  Unknown                Unknown            Unknown
wrf.exe              00000000009AF813  Unknown                Unknown            Unknown
wrf.exe              0000000000690D01  Unknown                Unknown            Unknown
wrf.exe              000000000068DB21  Unknown                Unknown            Unknown
wrf.exe              000000000047BC1B  Unknown                Unknown            Unknown
wrf.exe              000000000047B049  Unknown                Unknown            Unknown
wrf.exe              000000000047AFEC  Unknown                Unknown            Unknown
libc.so.6            0000003C6421D994  Unknown                Unknown            Unknown
wrf.exe              000000000047AEE9  Unknown                Unknown            Unknown

```

where:

```

[lluis@wn025 run]$ find /lib* -name libc.so.6
/lib/libc.so.6
/lib/i686/noseg/libc.so.6
/lib64/libc.so.6

```

and

```

[lluis@wn025 run]$ ldd wrf.exe
  libmpi_f90.so.0 => not found
  libmpi_f77.so.0 => not found
  libmpi.so.0 => not found
  libopen-rte.so.0 => not found
  libopen-pal.so.0 => not found
  libdl.so.2 => /lib64/libdl.so.2 (0x0000003c64600000)
  libnsl.so.1 => /lib64/libnsl.so.1 (0x0000003c65600000)
  libutil.so.1 => /lib64/libutil.so.1 (0x0000003c65a00000)

```



```

libm.so.6 => /lib64/libm.so.6 (0x0000003c64e00000)
libpthread.so.0 => /lib64/libpthread.so.0 (0x0000003c64a00000)
libc.so.6 => /lib64/libc.so.6 (0x0000003c64200000)
libgcc_s.so.1 => /lib64/libgcc_s.so.1 (0x0000003c66200000)
/lib64/ld-linux-x86-64.so.2 (0x0000003c63e00000)

```

This happens with:

```

NIN_ra_lw_physics      = 3
NIN_ra_sw_physics     = 3

```

This does not happen with:

```

NIN_ra_lw_physics      = 4
NIN_ra_sw_physics     = 4

```

**NOTE:** This error is also found on serial compilation. With a debug = 1000,

```

Namelist dfi_control not found in namelist.input. Using registry defaults for v
ariables in dfi_control
Namelist tc not found in namelist.input. Using registry defaults for variables
in tc
Namelist scm not found in namelist.input. Using registry defaults for variables
in scm
Namelist fire not found in namelist.input. Using registry defaults for variable
s in fire
WRF V3.1.1 MODEL
  wrf: calling alloc_and_configure_domain
*****
Parent domain
ids, ide, jds, jde          1          50          1          50
ims, ime, jms, jme         -4          55         -4          55
ips, ipe, jps, jpe          1          50          1          50
*****
DYNAMICS OPTION: Eulerian Mass Coordinate
  alloc_space_field: domain          1,          95259880 bytes allocated
  med_initialdata_input: calling input_model_input
(...)
INPUT LandUse = "USGS"
LANDUSE TYPE = "USGS" FOUND          33 CATEGORIES          2 SEASONS
WATER CATEGORY =          16 SNOW CATEGORY =          24
*** SATURATION VAPOR PRESSURE TABLE COMPLETED ***
  num_months =          13
AEROSOLS: Background aerosol will be limited to bottom          6
model interfaces.
  reading CAM_AEROPT_DATA
fortrtl: severe (174): SIGSEGV, segmentation fault occurred
Image          PC          Routine          Line          Source
wrf.exe        000000000130FB51 Unknown          Unknown Unknown
wrf.exe        0000000001310D17 Unknown          Unknown Unknown
wrf.exe        0000000001312458 Unknown          Unknown Unknown
wrf.exe        00000000010DC9BB Unknown          Unknown Unknown
wrf.exe        0000000000D12F9E Unknown          Unknown Unknown
wrf.exe        0000000000D0DDBD Unknown          Unknown Unknown
wrf.exe        0000000000906523 Unknown          Unknown Unknown
wrf.exe        0000000000608AC1 Unknown          Unknown Unknown
wrf.exe        00000000006058E1 Unknown          Unknown Unknown
wrf.exe        0000000000404DEC Unknown          Unknown Unknown
wrf.exe        0000000000404249 Unknown          Unknown Unknown
wrf.exe        00000000004041EC Unknown          Unknown Unknown

```



```

{{{
TYPE domain
(...)
    INTEGER, POINTER                :: i_start(:),i_end(:)
    INTEGER, POINTER                :: j_start(:),j_end(:)
(...)
    INTEGER                          :: num_tiles          ! taken out of namelist 20000908
(...)
}}}

```

Some information about [<http://www.mmm.ucar.edu/wrf/WG2/topics/settiles/> WRF tiles]

In {{{frame/module\_tiles.F}}} is seen in subroutines {{{set\_tiles1, set\_tiles2, set\_tiles3}}}:

```

{{{
    IF ( ASSOCIATED(grid%i_start) ) THEN ; DEALLOCATE( grid%i_start ) ; NULLIFY( grid%i_start ) ; ENDIF
    IF ( ASSOCIATED(grid%i_end) ) THEN ; DEALLOCATE( grid%i_end ) ; NULLIFY( grid%i_end ) ; ENDIF
    IF ( ASSOCIATED(grid%j_start) ) THEN ; DEALLOCATE( grid%j_start ) ; NULLIFY( grid%j_start ) ; ENDIF
    IF ( ASSOCIATED(grid%j_end) ) THEN ; DEALLOCATE( grid%j_end ) ; NULLIFY( grid%j_end ) ; ENDIF
    ALLOCATE(grid%i_start(num_tiles))
    ALLOCATE(grid%i_end(num_tiles))
    ALLOCATE(grid%j_start(num_tiles))
    ALLOCATE(grid%j_end(num_tiles))
    grid%max_tiles = num_tiles
}}}

```

The recommended WRF compilation (intel shared memory) is:

```

{{{
(...)
DMPARALLEL      =      1
OMPCCP          =      # -D_OPENMP
OMP             =      # -openmp -fpp -auto
SFC             =      ifort
SCC             =      icc
DM_FC          =      mpif90 -f90=$(SFC)
DM_CC          =      mpicc -cc=$(SCC) -DMPI2_SUPPORT
FC             =      $(DM_FC)
CC             =      $(DM_CC) -DFSEEK064_OK
LD             =      $(FC)
RWORDSIZE      =      $(NATIVE_RWORDSIZE)
PROMOTION      =      -i4
ARCH_LOCAL     =      -DNONSTANDARD_SYSTEM_FUNC
CFLAGS_LOCAL   =      -w -O3 -ip
LD_FLAGS_LOCAL =      -ip
CPLUSPLUSLIB  =
ESMF_LDFLAG    =      $(CPLUSPLUSLIB)
FCOPTIM       =      -O3
FCREDUCEDOPT  =      $(FCOPTIM)
FCNNOPT       =      -O0 -fno-inline -fno-ip
FCDEBUG       =      # -g $(FCNNOPT) -traceback
FORMAT_FIXED  =      -FI
FORMAT_FREE   =      -FR
FCSUFFIX      =
BYTESWAPIO    =      -convert big_endian
FCBASEOPTS   =      -w -ftz -align all -fno-alias -fp-model precisee
$(FCDEBUG) $(FORMAT_FREE) $(BYTESWAPIO)
MODULE_SRCH_FLAG =
TRADFLAG      =      -traditional
CPP           =      /lib/cpp -C -P
AR            =      ar
(...)

```

```
}}}
```

Simply changing the '-O3' optimization to '-O2' it works properly. (It also work with '-O1' but it makes the simulations

```
=== LAST NEWS ===
```

It works just adding a new compilation flag '-heap-arrays' which means:

```
{{{
```

```
-heap-arrays [size]
```

```
-no-heap-arrays
```

```
    Puts automatic arrays and arrays created for temporary
    computations on the heap instead of the stack.
```

```
    Architectures: IA-32, Intel® 64, IA-64 architectures
```

```
    Default:
```

```
-no-heap-arrays    The compiler puts automatic arrays and
                    arrays created for temporary computa-
                    tions in temporary storage in the stack
                    storage area.
```

```
    Description:
```

```
    This option puts automatic arrays and arrays created for
    temporary computations on the heap instead of the stack.
```

```
    If heap-arrays is specified and size is omitted, all auto-
    matic and temporary arrays are put on the heap. If 10 is
    specified for size, all automatic and temporary arrays
    larger than 10 KB are put on the heap.
```

```
}}}
```

It has been added on {{{configure.wrf}}} just adding the flag

```
{{{
```

```
(...)
```

```
CFLAGS_LOCAL      =      -w -O3 -heap-arrays -ip
```

```
(...)
```

```
FCOPTIM           =      -O3 -heap-arrays
```

```
}}}
```

A complete history post on 'intel's ' forum is available [<http://software.intel.com/en-us/forums/showthread.php?t=72109&p>

```
== [] STOP of simulations due to library problems ==
```

Some executions are stopped giving these error message:

```
{{{
```

```
/oceanogmeteo/WORK/ASNA/WRF/run/scne2a/scne2a/0016/bin/wrf.exe: error while loading shared libraries: libgfortran.so.3: c
```

```
/oceanogmeteo/WORK/ASNA/WRF/run/scne2a/scne2a/0016/bin/wrf.exe: error while loading shared libraries: libgfortran.so.3: c
```

```
/oceanogmeteo/WORK/ASNA/WRF/run/scne2a/scne2a/0016/bin/wrf.exe: error while loading shared libraries: libgfortran.so.3: c
```

```
/oceanogmeteo/WORK/ASNA/WRF/run/scne2a/scne2a/0016/bin/wrf.exe: error while loading shared libraries: libgfortran.so.3: c
```

```
/oceanogmeteo/WORK/ASNA/WRF/run/scne2a/scne2a/0016/bin/wrf.exe: error while loading shared libraries: libgfortran.so.3: c
```

```
/oceanogmeteo/WORK/ASNA/WRF/run/scne2a/scne2a/0016/bin/wrf.exe: error while loading shared libraries: libgfortran.so.3: c
```

```
/oceanogmeteo/WORK/ASNA/WRF/run/scne2a/scne2a/0016/bin/wrf.exe: error while loading shared libraries: libgfortran.so.3: c
```

```
/oceanogmeteo/WORK/ASNA/WRF/run/scne2a/scne2a/0016/bin/wrf.exe: error while loading shared libraries: libgfortran.so.3: c
```

```
/oceanogmeteo/WORK/ASNA/WRF/run/scne2a/scne2a/0016/bin/wrf.exe: error while loading shared libraries: libgfortran.so.3: c
```

```
}}}
```

Any {{{rsl.[error/out].[nnnn]}}} file is written

Doing a ldd of 'wrf.exe' is obtained the same in both nodes:

```
{{{
```

```
[lluis@wn031 ~]$ ldd /oceanogmeteo/WORK/ASNA/WRF/Binaries/3.1.1/A/CLW//gcgf64/OMPI/WRFV3/main/wrf.exe
```

```
    libmpi_f90.so.0 => not found
```

```
    libmpi_f77.so.0 => not found
```

```
    libmpi.so.0 => not found
```

```
    libopen-rte.so.0 => not found
```

```
    libopen-pal.so.0 => not found
```

```
    libdl.so.2 => /lib64/libdl.so.2 (0x00000003a9d80000)
```

```
    libnsl.so.1 => /lib64/libnsl.so.1 (0x00000003a9e40000)
```

```

libutil.so.1 => /lib64/libutil.so.1 (0x0000003aa0400000)
libgfortran.so.3 => not found
libm.so.6 => /lib64/libm.so.6 (0x0000003a9dc00000)
libgcc_s.so.1 => /lib64/libgcc_s.so.1 (0x0000003a9f400000)
libpthread.so.0 => /lib64/libpthread.so.0 (0x0000003a9e000000)
libc.so.6 => /lib64/libc.so.6 (0x0000003a9d400000)
/lib64/ld-linux-x86-64.so.2 (0x0000003a9d000000)
}}}
gfortran is installed:

{{{
[lluis@wn041 ~]$ which gfortran
/usr/bin/gfortran
[lluis@wn041 ~]$ ldd /usr/bin/gfortran
libc.so.6 => /lib64/libc.so.6 (0x0000003a9d400000)
/lib64/ld-linux-x86-64.so.2 (0x0000003a9d000000)
}}}
On a working node ldd gives:

{{{
[lluis@wn010 ~]$ ldd /oceanog/ometeo/WORK/ASNA/WRF/Binaries/3.1.1/A/CLW//gcgf64/OMPI/WRFV3/main/wrf.exe
libmpi_f90.so.0 => not found
libmpi_f77.so.0 => not found
libmpi.so.0 => not found
libopen-rte.so.0 => not found
libopen-pal.so.0 => not found
libdl.so.2 => /lib64/libdl.so.2 (0x0000003cd0c00000)
libnsl.so.1 => /lib64/libnsl.so.1 (0x0000003cd3000000)
libutil.so.1 => /lib64/libutil.so.1 (0x0000003cd3400000)
libgfortran.so.3 => /usr/lib64/libgfortran.so.3 (0x00002b5f55924000)
libm.so.6 => /lib64/libm.so.6 (0x0000003cd1400000)
libgcc_s.so.1 => /lib64/libgcc_s.so.1 (0x0000003cd2800000)
libpthread.so.0 => /lib64/libpthread.so.0 (0x0000003cd1000000)
libc.so.6 => /lib64/libc.so.6 (0x0000003cd0800000)
/lib64/ld-linux-x86-64.so.2 (0x0000003cd0400000)
}}}
gfortran ldd message is the same on 'wn010' and 'wn031/041'

== [] STOP of simulations due to net delays ==
On execution of wrf.exe, simulations stops with following messages (with openMPI):

rsl.error.0004

{{{
taskid: 4 hostname: wn017.macc.unican.es[wn017.macc.unican.es][[20060,1],4][btl_tcp_frag.c:216:mca_btl_tcp_frag_recv] mca_
}}}
rsl.error.0005

{{{
taskid: 5 hostname: wn017.macc.unican.es[wn017.macc.unican.es][[20060,1],5][btl_tcp_frag.c:216:mca_btl_tcp_frag_recv] mca_
}}}
rsl.error.0006

{{{
taskid: 6 hostname: wn017.macc.unican.es[wn017.macc.unican.es][[20060,1],6][btl_tcp_frag.c:216:mca_btl_tcp_frag_recv] mca_
}}}
rsl.error.0007

{{{
[wn017.macc.unican.es][[20060,1],7][btl_tcp_frag.c:216:mca_btl_tcp_frag_recv] mca_btl_tcp_frag_recv: readv failed: Connect
}}}

```

```

We are experience some net problems with important fall of system response of the cluster machine ({{{ 'dinamic' }}} queue)

== [x] In real STOP: At line 703 of file module_initialize_real.f90 ==
On execution of real appears:

{{{
Namelist dfi_control not found in namelist.input. Using registry defaults for variables in dfi_control
Namelist tc not found in namelist.input. Using registry defaults for variables in tc
Namelist scm not found in namelist.input. Using registry defaults for variables in scm
Namelist fire not found in namelist.input. Using registry defaults for variables in fire
REAL_EM V3.1.1 PREPROCESSOR
*****
Parent domain
ids,ide,jds,jde      1      167      1      139
ims,ime,jms,jme     -4      172     -4      144
ips,ipe,jps,jpe      1      167      1      139
*****
DYNAMICS OPTION: Eulerian Mass Coordinate
  alloc_space_field: domain      1 ,      804753800 bytes allocated
Time period # 1 to process = 2025-01-01_00:00:00.
Time period # 2 to process = 2025-01-01_06:00:00.
(...)
Time period # 56 to process = 2025-01-14_18:00:00.
Time period # 57 to process = 2025-01-15_00:00:00.
Total analysis times to input = 57.

-----

Domain 1: Current date being processed: 2025-01-01_00:00:00.0000, which is loop # 1 out of 57
configflags%julyr, %julday, %gmt:      2025      1      0.000000
d01 2025-01-01_00:00:00 Timing for input      0 s.
d01 2025-01-01_00:00:00      flag_soil_layers read from met_em file is 1
At line 703 of file module_initialize_real.f90
Fortran runtime error: End of record
}}}}
The error messages

{{{
At line 703 of file module_initialize_real.f90
Fortran runtime error: End of record
}}}}
Are [http://gcc.gnu.org/ml/fortran/2005-02/msg00394.html gfortran run-time errors]

This occurs because input data does not have PSML/PSFC ! From ungrib.log

{{{
(...)
Inventory for date = 2025-01-01 00:00:00
PRES  HGT    TT    UU    VV    RH    SOILHGT  LANDSEA  PSFC    PMSL    SST    SKINTEMP  SNOW    ST00000
-----
2001.1  0      0      0      0      0      0      0      0      0      0      0      0      X      0
2001.0  0      X      X      X      X      X      X      0      0      0      0      X      0      0
1000.0  X      X      X      X      X      X      X      X      X      X      X      X      X      X
925.0  X      X      X      X      X      X      X      X      X      X      X      X      X      X
850.0  X      X      X      X      X      X      X      X      X      X      X      X      X      X
700.0  X      X      X      X      X      X      X      X      X      X      X      X      X      X
500.0  X      X      X      X      X      X      X      X      X      X      X      X      X      X
300.0  X      X      X      X      X      X      X      X      X      X      X      X      X      X
200.0  X      X      X      X      X      X      X      X      X      X      X      X      X      X
100.0  X      X      X      X      X      X      X      X      X      X      X      X      X      X
50.0   X      X      X      X      X      X      X      X      X      X      X      X      X      X

```

```

-----
(...)
}}}
Removing PSFC/MSLP from working input data the error is reproduced!

== [x] Execution error in WRF ==
On GRIDUI appears this error on different experiments {{{scncla}}}, {{{scnclb}}}:

On {{{/gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/log/rsl_wrf/rsl.error.0000}}}, simulation started at 19

{{{
(...)
Timing for main: time 1975-05-13_22:32:30 on domain 1: 2.23900 elapsed seconds.
[gcsic019wn:19507] *** Process received signal ***
[gcsic019wn:19507] Signal: Segmentation fault (11)
[gcsic019wn:19507] Signal code: Address not mapped (1)
[gcsic019wn:19507] Failing at address: 0xffffffffc01fd0668
[gcsic019wn:19507] [ 0] /lib64/libpthread.so.0 [0x3df980e930]
[gcsic019wn:19507] [ 1] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(__module_ra_cam_support_
[gcsic019wn:19507] [ 2] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(__module_ra_cam_support_
[gcsic019wn:19507] [ 3] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(__module_ra_cam_radctl+0
[gcsic019wn:19507] [ 4] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(__module_ra_cam_camrad+0
[gcsic019wn:19507] [ 5] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(__module_radiation_driver
[gcsic019wn:19507] [ 6] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(__module_first_rk_step_pa
[gcsic019wn:19507] [ 7] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(solve_em+0x1c89f) [0x959
[gcsic019wn:19507] [ 8] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(solve_interface+0x6c8) [
[gcsic019wn:19507] [ 9] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(__module_integrate_integ
[gcsic019wn:19507] [10] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(__module_wrf_top_wrf_run
[gcsic019wn:19507] [11] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(MAIN__+0x3a) [0x46e5ca]
[gcsic019wn:19507] [12] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe(main+0xe) [0x14e9cae]
[gcsic019wn:19507] [13] /lib64/libc.so.6(__libc_start_main+0xf4) [0x3df901d994]
[gcsic019wn:19507] [14] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scnclb/scnclb/0003/bin/wrf.exe [0x46e4d9]
[gcsic019wn:19507] *** End of error message ***
}}}
Same in {{{/gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/log/rsl_wrf/rsl.error.0000}}}, simulation started

{{{
(...)
Timing for main: time 1950-05-10_16:17:30 on domain 1: 4.13800 elapsed seconds.
Timing for [gcsic116wn:30182] *** Process received signal ***
[gcsic116wn:30182] Signal: Segmentation fault (11)
[gcsic116wn:30182] Signal code: Address not mapped (1)
[gcsic116wn:30182] Failing at address: 0xffffffffc01fd0668
[gcsic116wn:30182] [ 0] /lib64/libpthread.so.0 [0x3dc780e930]
[gcsic116wn:30182] [ 1] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(__module_ra_cam_support_
[gcsic116wn:30182] [ 2] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(__module_ra_cam_support_
[gcsic116wn:30182] [ 3] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(__module_ra_cam_radctl+0
[gcsic116wn:30182] [ 4] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(__module_ra_cam_camrad+0
[gcsic116wn:30182] [ 5] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(__module_radiation_driver
[gcsic116wn:30182] [ 6] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(__module_first_rk_step_pa
[gcsic116wn:30182] [ 7] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(solve_em+0x1c89f) [0x959
[gcsic116wn:30182] [ 8] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(solve_interface+0x6c8) [
[gcsic116wn:30182] [ 9] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(__module_integrate_integ
[gcsic116wn:30182] [10] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(__module_wrf_top_wrf_run
[gcsic116wn:30182] [11] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(MAIN__+0x3a) [0x46e5ca]
[gcsic116wn:30182] [12] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe(main+0xe) [0x14e9cae]
[gcsic116wn:30182] [13] /lib64/libc.so.6(__libc_start_main+0xf4) [0x3dc701d994]
[gcsic116wn:30182] [14] /gpfs/csic_projects/meteo/WORK/GRIDUI/run/scncla/scncla/0004/bin/wrf.exe [0x46e4d9]
[gcsic116wn:30182] *** End of error message ***
}}}
This happens because WPS uses 'iDirectionIncrementInDegrees' attribute, but cdo (used to transform input files) does not (

```

```

{{{
is_global          = 1,
}}}
With this value, is said that input files are global. Thus the increment in degrees in the {{{'i-direction'}}} will be com

'''NOTE:''' This option is only available if input data is in a regular matrix in x direction

* {{{ungrib/src/rd_grib1.F}}}
{{{
62     SUBROUTINE rd_grib1(IUNIT, gribflnm, level, field, hdate, &
63         ierr, iuarr, debug_level, is_g)
(...)
77     ! L. Fita. UC. August 2010
78     INTEGER :: is_g
(...)
372    ! L. Fita. UC. August 2010
373    IF (is_g == 1) THEN
374        PRINT *, "***** L. Fita. UC . August 2010 *****"
375        PRINT *, "****      Assuming global regular grid.      ****"
376        PRINT *, "**** Computing 'dx' from number of points 'Nx' ****"
377        PRINT *, "*****"
378        map%dx = 360.0 / map%nx
379        PRINT *, 'Nx = ', map%nx, ' dx:', map%dx
380    ELSE
381        map%dx = ginfo(8)
382    ENDIF
(...)
423    ! L. Fita. UC. August 2010
424    IF (is_g == 1) THEN
425        PRINT *, "***** L. Fita. UC . August 2010 *****"
426        PRINT *, "****      Assuming global regular grid.      ****"
427        PRINT *, "**** Computing 'dx' from number of points 'Nx' ****"
428        PRINT *, "*****"
429        map%dx = 360.0 / map%nx
430        PRINT *, 'Nx = ', map%nx, ' dx:', map%dx
431    ELSE
432        map%dx = ginfo(8)
433    ENDIF
}}}
{{{ungrib/src/read_namelist.F}}}
{{{
1     subroutine read_namelist(hstart, hend, delta_time, ntimes,&
2         ordered_by_date, debug_level, out_format, prefix, is_global)
3         ! L. Fita. UC. August 2010
4         ! Adding new 'namelsit.wps' value in '&ungrib' section: is_global (0, No; 1,
5         ! Yes [default 0]).
6         ! NOTE: This modification is only useful for global GRIBs with a regular
7         ! longitude distribution
8         !
9         ! EXPLANATION:
10        ! In some global files, grid information, is not correctly extracted and/or
11        ! they could not be exactly fitted in an entire earth. By this modification,
12        ! gris spacing in x direction is computed from the number of grid points in
13        ! this direction
(...)
58        ! L. fita. UC. August 2010
59        INTEGER :: is_global
(...)
72        ordered_by_date, prefix, is_global
}}}

```



```

{{{ungrib/src/ungrib.F }}}
. {{{
74      ! L. Fita. UC 2010 August
75      INTEGER :: is_global
(...)
97      call read_namelist(hstart, hend, interval, ntimes, &
98          ordered_by_date, debug_level, out_format, prefix, is_global)
(...)
207     call rd_grib1(nunit1, gribflnm, level, field, &
208         hdate, ierr, iuarr, debug_level, is_global)

```

Will appear during ungrib.exe execution:

```

*** Starting program ungrib.exe ***
Start_date = 1975-07-16_00:00:00 ,      End_date = 1975-07-30_00:00:00
output format is WPS
Path to intermediate files is ./
ungrib - grib edition num          1
***** L. Fita. UC . August 2010 *****
***      Assuming global regular grid.      ***
*** Computing 'dx' from number of points 'Nx' ***
*****
Nx =          128 dx:   2.812500
***** L. Fita. UC . August 2010 *****
***      Assuming global regular grid.      ***
*** Computing 'dx' from number of points 'Nx' ***
*****
Nx =          128 dx:   2.812500
(...)

```

**NOTE:** With data from CNRM in the period 1950-1970 the error is still there...

### [x] SST missing values in coastal lines

Along coastal lines, SST is badly interpolated. This is fixed changing in METGRID.TBL how is made SST interpolation (thanks to Dr. Priscilla A. Mooney, National University of Ireland, Maynooth, Ireland):

```

= = = = =
name=SST
    interp_option=sixteen_pt+four_pt+wt_average_4pt+search
    missing_value=-1e+30
    interp_mask=LANDSEA(1)
    masked=land
    fill_missing=0.
    flag_in_output=FLAG_SST
= = = = =

```

### [] p4\_error: latest msg from perror: Invalid argument

Simulation stops. Message appears at first time-step after open 'wrfst' file

### [x] p4\_error: OOPS: semop lock failed: -1

Simulation stopped. Reference in:

- [?http://www.mcs.anl.gov/research/projects/mpi/mpich1/docs/mpichman-chp4/node133.htm](http://www.mcs.anl.gov/research/projects/mpi/mpich1/docs/mpichman-chp4/node133.htm)

Same as in p4\_error: semget

From ce01 run

```
cexec /opt/mpich/gnu/sbin/cleanipcs
```

### [] \* glibc detected \* malloc(): memory corruption:

Simulation stopped. In some rsl.error.00[nn] appear next line

- rsl.error.0006 . {{{

```
(...) * glibc detected * malloc(): memory corruption: 0x00000000b215c50 * }}}
```

- rsl.error.0013

```
(...)
*** glibc detected *** malloc(): memory corruption: 0x00000000af50bb0 ***
```

- C-language related posts:

- [?http://bytes.com/groups/c/223310-glibc-detected-malloc-memory-corruption-fast-0x0804c008](http://bytes.com/groups/c/223310-glibc-detected-malloc-memory-corruption-fast-0x0804c008)
- [?http://www.linuxquestions.org/questions/programming-9/glibc-detected-malloc-free-double-349135/](http://www.linuxquestions.org/questions/programming-9/glibc-detected-malloc-free-double-349135/)

- WRF related post:

- [?http://forum.wrfforum.com/viewtopic.php?f=6&t=104](http://forum.wrfforum.com/viewtopic.php?f=6&t=104)

Error appeared during CLWRF implementation. Some nasty numerics things must happen. Once errors have been repaired error disappears... (luckily?)

### [x] Missing required environment variable: MPIRUN\_RANK

WRF real.exe stopped with message:

```
PMGR_COLLECTIVE ERROR: uninitialized MPI task: Missing required environment variable: MPIRUN_RANK
mpiexec: Warning: task 0 exited with status 1.
```

Incorrect version of mpiexec. You must run an addequated mpiexec version, look to the path of mpiexec (execute which to see it) which mpiexec

### [] Different wrf.exe from different nodes

From wn001 to wn024 >ls -la /oceanogmeteo/DATA/WRF/WRF\_bin/3.1/WRF4G/MVAPICH/WRFV3/main/

```
...
-rw-rw---- 1 lluis gmeteo 62797 May 19 13:28 wrf_ESMFMod.F
-rwxr-x--x 1 lluis gmeteo 21147307 May 26 14:58 wrf.exe
-rw-rw---- 1 lluis gmeteo 918 May 19 13:28 wrf.F
...
```

From wn025 >ls -la /oceanogmeteo/DATA/WRF/WRF\_bin/3.1/WRF4G/MVAPICH/WRFV3/main/

```
...
-rw-rw---- 1 lluis gmeteo 62797 May 19 13:28 wrf_ESMFMod.F
-rwxr-x--x 0 lluis gmeteo 21147057 May 25 17:39 wrf.exe
-rw-rw---- 1 lluis gmeteo 918 May 19 13:28 wrf.F
...
```

Differences in Hard-link (see [?ls](#) and [?Hard\\_Link](#)), date and on size!? During a simulation each node is running a different wrf.exe!

Problem 'solved' rebooting wn025

### [] mpiexec: Error: poll\_or\_block\_event: tm\_poll: tm: no event

A second try of run does not give this error ?¿!; No memory/space left on nodes (bad ending of a previous simulation)

**[x] mvapich 'call system()' failed**

When WRF4G is used, when 2nd file is started to be written, simulation stopped. (Probably due to \$WRFGEL\_SCRIPT ?)

See comments:

- [?http://mail.cse.ohio-state.edu/pipermail/mvapich-discuss/2006-October/000394.html](http://mail.cse.ohio-state.edu/pipermail/mvapich-discuss/2006-October/000394.html)
- [?http://mail.cse.ohio-state.edu/pipermail/mvapich-discuss/2008-November/002041.html](http://mail.cse.ohio-state.edu/pipermail/mvapich-discuss/2008-November/002041.html)

And user guide [?http://mvapich.cse.ohio-state.edu/support/mvapich\\_user\\_guide.html#x1-350007.1.2](http://mvapich.cse.ohio-state.edu/support/mvapich_user_guide.html#x1-350007.1.2)

Old version of linux kernel. It is recommended that kernel should be at version 2.6.16 or newer

```
Linux wn010.macc.unican.es 2.6.9-78.0.13.EL.cernsmp #1 SMP Mon Jan 19 14:00:58 CET 2009 x86_64 x86_64 x86_64 GNU/Linux
```

and OFED version

```
>mpichversion
MPICH Version:          1.2.7
MPICH Release date:    $Date: 2005/06/22 16:33:49$
MPICH Patches applied: none
MPICH configure:       --with-device=ch_gen2 --with-arch=LINUX -prefix=/software/ScientificLinux/4.6/mvapich/1.1/pgi_7.1
MPICH Device:          ch_gen2
```

Problem solved at the moment declaring a new environment variable:

```
export IBV_FORK_SAFE=1
```

**[x] mpiexec: Warning: read\_ib\_one: protocol version 8 not known, but might still work.**

Error message when execute mpiexec:

```
mpiexec: Warning: read_ib_one: protocol version 8 not known, but might still work.
mpiexec: Error: read_ib_one: mixed version executables (6 and 8), no hope.
```

This error message appears when is used a wrong version of *mpiexec*. On must indicate correct one in:

```
/software/ScientificLinux/4.6/mpiexec/mpiexec
```

**[x] ECMWF ERA40 escena missing data**

Incompleted escena domain downloaded ERA40 data in /oceanogmeteo/DATA/ECMWF/ERA40/escena Years: 1968, 1969, 1971 and 1979

**[x] Large waiting in GRID-CSIC**

More than 1 day are waiting jobs in IFCA GRID-CSIC. In a selection of nodes=[N]:ppn=[M] (N=2, M=8).

- In EGEEUI01 nodes can be occupied only with one core job. Thus it makes difficult that node exclusive jobs can be running. It is more addequated to send jobs with total number of cores, without indication of exclusivity of one phisical machine (EGEEUI01 cluster has 8 cores nodes).

Changes in *wrf\_AUTOlauncher\_iteration.bash* now make core assignation as [N]\*[M] without `mpiexec -npernode [M]` line in `[template].job`. A new one has been created `MPI_job-EGEEUI01.pbs`

```
#!/bin/bash (-)
### Job name
#PBS -N @JOBnameSIM@
### Queue name
#PBS -q lmeteo
### Dependency
#PBS -W depend=afterany:@IDpbs@
### Total number of processes
```

```
#PBS -l nodes=@Nnodes@
# This job's working directory
echo Working directory is $PBS_O_WORKDIR
cd $PBS_O_WORKDIR
echo Running on host `hostname`
echo Time is `date`
echo Directory is `pwd`
echo This jobs runs on the following processors:
echo `cat $PBS_NODEFILE`
##
#Running WRF
##
export OMP_NUM_THREADS=@Ntrh@
echo "Numero de Threads: $OMP_NUM_THREADS"
echo "Numero de Jobs MPI: $Nprocess"
mpiexec ./wrf.exe
```

It can only work if *nodes* is not set as an entire physical machine. It must be set to a cpu (or core). More information in:

- <http://www.clusterresources.com/torquedocs21/2.1jobsubmission.shtml#resources>
- <http://www.clusterresources.com/products/mwm/docs/a.fparameters.shtml#j>

### [x] cshell error in wn010

In wn010, appears a systematic csh error, just open a csh terminal

```
setenv: Too many arguments
```

A problem in a *csh.profile* have been repaired

### [x] Stale NFS file handle

In IFCA GRID-CSIC, with *wrf.exe* appears a NFS file handle (for BIGescena domain)

```
/var/spool/pbs/mom_priv/jobs/1070626.tor.SC: line 400: 22711 Bus error                mpiexec -npernode 8 ./wrf.exe
rm: cannot remove `wrf.exe': Stale NFS file handle
rm: cannot remove `*.TBL': Stale NFS file handle
rm: cannot remove `*_DATA*': Stale NFS file handle
rm: cannot remove `met_em*': Stale NFS file handle
rm: cannot remove `wrfbdy*': Stale NFS file handle
rm: cannot remove `wrfinput*': Stale NFS file handle
/var/spool/pbs/mom_priv/jobs/1070626.tor.SC: line 345: /gpfs/ifca.es/meteo/forest//bats/change_in_file.bash: Stale NFS fil
/var/spool/pbs/mom_priv/jobs/1070626.tor.SC: line 356: cd: /gpfs/ifca.es/meteo/SCRATCH/BIGescena/1970_1975Restart28d/simul
(...)
```

Some errors in NFS server occurred

### [x] metgrid.exe Segmentation fault

When *metgrid.exe* is running, a segmentation fault (in IFCA GRID-CSIC) appears (for Africa\_25km domain). From *[job].e[nnnnn]*:

```
/var/spool/pbs/mom_priv/jobs/1073948.tor.SC: line 195: 19831 Segmentation fault
```

Global analyses used where defined only for an European region

### [] CAM NaN

*module\_ra\_cam\_support.F* generates NaN outputs at a given time step (about the 350th julian day of 1996 and 2001, 1996/XII/15 and 2001/XII/16).

*rsl.out.[nnnn]* files become as large as hard disk (because of the output to these files). Has been done:

```

vert_interpolate: mmr < 0, m, col, lev, mmr          2          2          1          NaN
vert_interpolate: aerosol(k), (k+1)  1.0000000116860974E-007  0.0000000000000000
vert_interpolate: pint(k+1), (k)          NaN          NaN
n,c          1          1

```

- **FATAL\_ERROR signal:** call `wrf_error_fatal` ('Error of computation') line has been introduced in `WRFV3/phys/module_ra_cam_support.F` file
- **isnan()**: internal `pgi` instruction added in some places of `module_ra_cam_support.F` and `module_ra_cam.F` allowing to know where appear first 'NaN' values

Possible WRFv3.0.1.1 bug related to temporal interpolation of CO<sub>2</sub> concentrations at 15/XII of any year (change of monthly value)

### [x] p4\_error: semget failed for setnum: 12

Information sources:

- [?http://www.mcs.anl.gov/research/projects/mpi/mpich1/docs/mpichman-chp4/node133.htm](http://www.mcs.anl.gov/research/projects/mpi/mpich1/docs/mpichman-chp4/node133.htm)
- [?https://lists.sdsc.edu/pipermail/npaci-rocks-discussion/2008-May/030470.html](https://lists.sdsc.edu/pipermail/npaci-rocks-discussion/2008-May/030470.html)

This error means that there is not enough shared memory available to allocate a new memory segment for interprocess communication. Often what happens is there are some extra memory segments left over from a crash or programming error of a previous job that needs to be cleaned up. There is a script called `cleanipcs` that will remove all of your left over `ipcs`. Users are responsible for cleaning up extra shared memory segments after a crash or when their job is complete.

You can use `/usr/bin/ipcs` to check memory state in one node:(given example for `ssh wn013 ipcs`)

```

----- Shared Memory Segments -----
key          shmid      owner      perms      bytes      nattch     status
0x00000000  0           root       644        72         2
0x00000000  32769      root       644        16384      2
0x00000000  65538     root       644        280        2
0x00000000  2654211   lluis      600        33554432  0
----- Semaphore Arrays -----
key          semid      owner      perms      nsems
0x000000a7  0         root       666        1
0x00000000  11337729  lluis      600        10
0x00000000  11370498  lluis      600        10
0x00000000  11403267  lluis      600        10
0x00000000  11436036  lluis      600        10
0x00000000  11468805  lluis      600        10
0x00000000  11501574  lluis      600        10
0x00000000  11534343  lluis      600        10
0x00000000  11567112  lluis      600        10
0x00000000  11599881  lluis      600        10
0x00000000  11632650  lluis      600        10
0x00000000  11665419  lluis      600        10
0x00000000  11698188  lluis      600        10
0x00000000  11730957  lluis      600        10
0x00000000  11763726  lluis      600        10
0x00000000  11796495  lluis      600        10
0x00000000  11829264  lluis      600        10
0x00000000  11862033  lluis      600        10
0x00000000  11894802  lluis      600        10
0x00000000  11927571  lluis      600        10
0x00000000  11960340  lluis      600        10
0x00000000  11993109  lluis      600        10
0x00000000  12025878  lluis      600        10
0x00000000  12058647  lluis      600        10
0x00000000  14352408  lluis      600        10
0x00000000  14385177  lluis      600        10
----- Message Queues -----
key          msqid      owner      perms      used-bytes  messages

```

```
[lluis@wn010 WRFV3]$ ssh wn013 ipcs
----- Shared Memory Segments -----
key          shmid      owner      perms      bytes      nattch     status
0x00000000  0          root       644        72         2
0x00000000  32769     root       644        16384      2
0x00000000  65538     root       644        280        2
0x00000000  2654211   lluis     600        33554432   0
----- Semaphore Arrays -----
key          semid      owner      perms      nsems
0x000000a7  0          root       666        1
0x00000000  11337729  lluis     600        10
0x00000000  11370498  lluis     600        10
0x00000000  11403267  lluis     600        10
0x00000000  11436036  lluis     600        10
0x00000000  11468805  lluis     600        10
0x00000000  11501574  lluis     600        10
0x00000000  11534343  lluis     600        10
0x00000000  11567112  lluis     600        10
0x00000000  11599881  lluis     600        10
0x00000000  11632650  lluis     600        10
0x00000000  11665419  lluis     600        10
0x00000000  11698188  lluis     600        10
0x00000000  11730957  lluis     600        10
0x00000000  11763726  lluis     600        10
0x00000000  11796495  lluis     600        10
0x00000000  11829264  lluis     600        10
0x00000000  11862033  lluis     600        10
0x00000000  11894802  lluis     600        10
0x00000000  11927571  lluis     600        10
0x00000000  11960340  lluis     600        10
0x00000000  11993109  lluis     600        10
0x00000000  12025878  lluis     600        10
0x00000000  12058647  lluis     600        10
0x00000000  14352408  lluis     600        10
0x00000000  14385177  lluis     600        10
----- Message Queues -----
key          msqid      owner      perms      used-bytes  messages
```

Use the following command to clean up all memory segments owned by your user id on a cluster:

```
cexec /opt/mpich/gnu/sbin/cleanipcs
```

Or for each working node: (be carefull to don't run the script in any node with a right working simulation!!)

```
ssh wn[NNN] /software/ScientificLinux/4.6/mpich/1.2.7p1/pgi_7.1-6_gcc/sbin/cleanipcs
```

After that: (in wn013):

```
----- Shared Memory Segments -----
key          shmid      owner      perms      bytes      nattch     status
0x00000000  0          root       644        72         2
0x00000000  32769     root       644        16384      2
0x00000000  65538     root       644        280        2
----- Semaphore Arrays -----
key          semid      owner      perms      nsems
0x000000a7  0          root       666        1
----- Message Queues -----
key          msqid      owner      perms      used-bytes  messages
```

## [x] P4\_GLOBMEMSIZE

Not enough memory for mpich processes for the simulation. Error message looks like:

```
p3_15324: (1.777344) xx_shmalloc: returning NULL; requested 262192 bytes
p3_15324: (1.777344) p4_shmalloc returning NULL; request = 262192 bytes
You can increase the amount of memory by setting the environment variable
P4_GLOBMEMSIZE (in bytes); the current size is 4194304
p3_15324: p4_error: alloc_p4_msg failed: 0
```

Typical error for simulations with domains bigger as *Europe\_10* and *BIGescena* domains. Default value is 4MB (4194304)

Increase value to:

- **32 MB** export P4\_GLOBMEMSIZE=33554432
- **64 MB** export P4\_GLOBMEMSIZE=67108864
- **128 MB** export P4\_GLOBMEMSIZE=134217728
- **256 MB** export P4\_GLOBMEMSIZE=268435456

### [x] SKINTEMP not found

ERA40 ECMWF files have a different codification of variables. A modification in Vtable.ECMWF is carried out:

Original line

34		1		0				SST		K		Sea-Surface Temperature	
139		112		0		7		ST000007		K		T of 0-7 cm ground layer	

Modification

139		1		0				SST		K		Sea-Surface Temperature	
139		112		0		7		SKINTEMP		K		T of 0-7 cm ground layer	

### [x] WOULD GO OFF TOP: KF\_ETA\_PARA I,J,DPTHMX,DPMIN 81 78 NaN 5000.000

See <http://forum.wrfforum.com/viewtopic.php?f=6&t=263>

Many causes are possible. CFLs, problems with initial or boundary conditions...etc Lowering the time step or swiching off feedback between nests are possible solutions.

### [x] Metgrid error: Error in ext\_pkg\_write\_field in metgrid.log

Also in log/metgrid\_1995030912.out:

```
ERROR: Error in ext_pkg_write_field
WRF_DEBUG: Warning DIM          4 , NAME num_metgrid_levels REDIFINED by var GHT          17          18 in wrf_io.F9
```

This error means that probably one or more surface variables are missing in the model input (for example NCEP reanalyses). Input grib files must be checked and fixed.

### [] forrtl: severe (174): SIGSEGV, segmentation fault occurred

```
forrtl: severe (174): SIGSEGV, segmentation fault occurred
Image PC Routine Line Source wrf.exe 00000000013EF561 Unknown Unknown
Unknown
wrf.exe 00000000013F0727 Unknown Unknown Unknown
wrf.exe 00000000013F1E68 Unknown Unknown Unknown
wrf.exe 00000000011BB5CB Unknown Unknown Unknown
wrf.exe 0000000000DE0913 Unknown Unknown Unknown
wrf.exe 000000000DDAEBD Unknown Unknown Unknown
wrf.exe 00000000009AF823 Unknown Unknown Unknown
```

```
wrf.exe 000000000690D01 Unknown Unknown Unknown
wrf.exe 00000000068DB21 Unknown Unknown Unknown
wrf.exe 00000000047BC1B Unknown Unknown Unknown
wrf.exe 00000000047B049 Unknown Unknown Unknown
wrf.exe 00000000047AFEC Unknown Unknown Unknown
libc.so.6 0000003AD001D994 Unknown Unknown Unknown
wrf.exe 00000000047AEE9 Unknown Unknown Unknown
```

Causes are unknown, but it worked just sending the simulation again, without any change.

**[] wrf.exe: posixio.c:213: px\_pgout: Assertion `\*posp == ((off\_t)(-1)) || \*posp == lseek(nciop->fd, 0, 1)' failed.**

It appeared in a continuous simulation with spectral nudging, using wrf 3.1.1. rsl.error.0000 shows:

```
wrf.exe: posixio.c:213: px_pgout: Assertion `*posp == ((off_t)(-1)) || *posp == lseek(nciop->fd, 0, 1)' failed.
forrtl: error (76): Abort trap signal
```

Image	PC	Routine	Line	Source
libc.so.6	0000003AD0030265	Unknown	Unknown	Unknown
libc.so.6	0000003AD0031D10	Unknown	Unknown	Unknown
libc.so.6	0000003AD00296E6	Unknown	Unknown	Unknown
wrf.exe	000000000154368A	Unknown	Unknown	Unknown
wrf.exe	0000000001518A2D	Unknown	Unknown	Unknown
wrf.exe	000000000152741E	Unknown	Unknown	Unknown
wrf.exe	00000000014CCD30	Unknown	Unknown	Unknown
wrf.exe	00000000014CBADD	Unknown	Unknown	Unknown
wrf.exe	00000000014BAD59	Unknown	Unknown	Unknown
wrf.exe	00000000014B76A3	Unknown	Unknown	Unknown
wrf.exe	0000000000BB258D	Unknown	Unknown	Unknown
wrf.exe	0000000000BAED79	Unknown	Unknown	Unknown
wrf.exe	0000000000BAE7F8	Unknown	Unknown	Unknown
wrf.exe	0000000000BADD02	Unknown	Unknown	Unknown
wrf.exe	0000000000BADA9E	Unknown	Unknown	Unknown
wrf.exe	0000000000DD5E47	Unknown	Unknown	Unknown
wrf.exe	00000000007A81D6	Unknown	Unknown	Unknown
wrf.exe	00000000006B8424	Unknown	Unknown	Unknown
wrf.exe	0000000000653E19	Unknown	Unknown	Unknown
wrf.exe	0000000000677927	Unknown	Unknown	Unknown
wrf.exe	0000000000674047	Unknown	Unknown	Unknown
wrf.exe	00000000004C9DF7	Unknown	Unknown	Unknown
wrf.exe	000000000047B0A3	Unknown	Unknown	Unknown
wrf.exe	000000000047B057	Unknown	Unknown	Unknown
wrf.exe	000000000047AFEC	Unknown	Unknown	Unknown
libc.so.6	0000003AD001D994	Unknown	Unknown	Unknown
wrf.exe	000000000047AEE9	Unknown	Unknown	Unknown

wrf\_2001112400.out shows:

```
/ocean0/gmeteo/WORK/ASNA/WRF/run/SeaWind_N1540_SN/SeaWind_N1540_SN/0029/bin/wrf_wrapper.exe: line 9: 4500 Aborted
```

Causes are unknown.

**[] No error, wrf just stops (¿!?)**

Change the debug\_level (up to 300) in namelist.input &time\_cotrol.

If there isn't any error yet, run wrf using the debugging version (OMP1chk)