

## **Wikiprint Book**

**Title: Overview of the ecomsUDG.Raccess package**

**Subject: TracMeteo - udg/ecom/RPackage**

**Version: 67**

**Date: 05/21/2022 08:22:23 PM**

## Table of Contents

Overview of the ecomsUDG.Raccess package

3



## Overview of the `ecomSUDG.Raccess` package

Since the [R language](#) has been adopted for some key tasks in the EUPORIAS and SPECS projects (including the development of comprehensive validation and statistical-downscaling packages), the `ecomSUDG.Raccess` is envisaged as a user-friendly, R-based interface to the ECOMS User Data Gateway, enabling [authentication?](#) and remote access to the different datasets (seasonal forecasting, observations, reanalysis) currently available. Moreover, `ecomSUDG.Raccess` implements data homogenization (a single vocabulary) and time filtering/aggregation functionality.

The `ecomSUDG.Raccess` package relies on the `rJava` package as an interface to the powerful capabilities of the [Unidata's netCDF Java library](#).

- [Versions](#)
- [Pre-requisites](#)
- [Authentication?](#)
- [Data Homogeneization?](#)
- [Examples?](#)

R code	Output
<pre> Illustrative use of ECOMS-UDG: Obtaining the minimum DJF temperature DJF bias for System4 hindcast (one-month lead time) over Europe. WFDEI is used as reference.  obs &lt;- loadECOMS(dataset = "WFDEI", var = "tasmin", season = c(12,1,2)) prd&lt;- loadECOMS(dataset = "System4_seasonal_15", var = "tasmin?", season = c(12,1,2), members = 1:2, leadMonth = 1)                     </pre>	